







**80 Enduro**




**80 Cross**






**125 Enduro**




**125 Cross**




MOTORE KART 125  
C-1-C INTERNAZIONALE



MOTORE KART 125  
C-1-C INTERNAZIONALE



MOTORE KART 125  
CATEGORIA NAZIONALE



Dati, descrizioni ed illustrazioni sono forniti a titolo indicativo e non impegnativo.

Characteristics and descriptions are given as information and are not binding.

Données, descriptions et illustrations sont fournies à titre d'indication et n'engagent pas le constructeur.

Angaben, Beschreibungen und Illustrationen sind nur massgebend und nicht verbindlich.

MOTO tm - Via Milano, 55  
61100 PESARO (ITALY)  
Tel. 0721/21428-25113  
Telefax 0721/401808

TM RACCOMANDA PRODOTTI



Motore	Engine	Moteur	Motor	TM	TM	TM	TM
Tipo	Type	Type	Typ	125 E	125 MC	80 E	80 MC
Cilindro	Cylinder	Cylindre	Zylinderzahl	1	1	1	1
Raffreddamento	Cooling	Refroidissement	Kühlung	Acqua/Water/Eau/Wasser			
Sistema	System	Cycle	Arbeitsweise	2 tempi/2 strokes/2 temps/2 takt			
Tipo ammissione	Induction type	Type d'admission	Einglass Typ	Lamellare sul carter/Clapet/Carter Blades on carter			
Alesaggio	Bore	Alesage	Bohrung	54	54	46,5	46,5
Corsa	Stroke	Course	Hub	54,4	54,4	47	47
Cilindrata cm <sup>3</sup>	Displacement c.c.	Cylindrée c.c.	Hubraum	123,543	123,543	79,85	79,85
Potenza CV	HP	Puissance Ch	Leistung PS	-	-	-	-
Giri/min.	Rev. p.m.	Tours p.m.	U/min.	11.500	11.500	12.000	12.000
Rapporto di compres.	Compression ratio	Taux de compression	Verdichtungsverhältnis	1:16	1:16	1:18	1:18
Candela	Spark plug	Bougie	Zündkerze	82 G Champ	82 G	82 G	82 G
Carburatore	Carburettor	Carburateur	Vergaser	37	38	30	30
Aliment. % miscela	Feeding % petrol	Melange	Mischungsverhältnis	2,5%	2,5%	2,5%	2,5%
Cambio	Gear box	Boîte de vitesse	Gangzahl	6	6	6	6
Frizione	Clutch	Embrayage	Kupplung	Dischi multipli in bagno d'olio/Multiplates in oil-bath multidisques à bain d'huile/Mehrscheiben-Ölbadkupplung			
Telaio	Frame	Cadre	Rahmen	Monotrave a doppia culla/Monobeam Mono double berceau Einträgerdoppel/Rohrrahmen			
Forcella	Fork	Fourche	Vordergabel	Telescopica/telescopic/telescopiqué			
Sospensione	Suspension	Suspension	Hinterradschwinge	Monoamm./single shock/Mono ammort. Eindämpfer.			
Serb. capacità lt.	Tank capacity lt.	Reservoir cap. lt.	Tankinhalt lt.	7,5	7,5	7,5	7,5
Freno post. Ø	Rear brake Ø	Frein AR. Ø	Bremse hinten Ø	DISCO	DISCO	DISCO	DISCO
Freno ant. Ø	Front brake Ø	Frein AV. Ø	Bremse vorn Ø	DISCO	DISCO	DISCO	DISCO
Pneum. ant. Ø	Front tyre Ø	Pneu. AV. Ø	Bereifung vorn Ø	3.00x21"	3.00x21"	3.00x21"	3.00x21"
Pneum. post. Ø	Rear tyre Ø	Pneu. AR. Ø	Bereifung hinten Ø	120/90x18"	4.00x19/18	110/90x18"	19.18
Peso a vuoto Kg.	Dry weight Kg.	Poids à vide Kg.	Leergewicht	93	90	85,5	84

CATEGORIA NAZIONALE  
E AMATORI K2

