


Modelli 1999 ENDURO

© Tm Racing SpA 2005

moto
tm
R A C I N G



Roman Michalik

**World Champion
European Champion
1998
125 cc. Enduro**

enduro

125 enduro



TM raccomanda e consiglia prodotti



250 enduro



TM raccomanda e consiglia prodotti



300 enduro



TM raccomanda e consiglia prodotti



Modelli 1999 ENDURO


© Tm Racing SpA 2005

80 enduro



TM raccomanda e consiglia prodotti





Il successo di moto TM nelle competizioni internazionali è sinonimo di passione, qualità e tecnologia. Moto TM è in grado di battere ogni traguardo in fatto di competitività e affidabilità.

The success of moto TM in international competitions is synonymous with passion, quality and technology. Moto TM is capable of achieving any goals in terms of competitiveness and reliability.

MOTO TM

via Milano, 55
61100 Pesaro - Italy
tel 0721/21428 - 25113
fax 0721/401808

<http://www.mototm.com>
E-mail: mtm@mototm.com



SCHEDA TECNICA - TECHNICAL CARD				
MODELLO MODEL	80	125	250	300
MOTORE ENGINE	TM 80 E	TM 125 E	TM 250 E	TM 300 E
ALES. e CORSA mm. BORE and STROKE mm.	46,5 X 47	54 X 54,4	66,4 X 72	72 X 72
CILINDRATA cc. DISPLACEMENT	79.85	123.543	249	294
RAPP. COMPRESS. COMPRESSION RATIO	1:17.2	1:16.7	1:15.5	1:14.5
POTENZA CV HP	N.D.	N.D.	N.D.	N.D.
ASPIRAZIONE INTAKE	Lamellare sul carter		Blades on casing	
CARBURATORE CARBURETTOR	Mikuni \varnothing 32	Keihin \varnothing 38 PWK		
LUBRIFICAZIONE LUBRIFICATION	Miscela 2% Mixture 2%		Verde 3,5% Green 3,5%	
ACCENSIONE IGNITION	Elettronica Koukusan CDI ad anticipo variabile		Koukusan CDI electronic with variable advance	
TRASM. PRIMARIA PRIMARY DRIVE	Ingranaggi a denti dritti		Straight-tooth gear	
FRIZIONE CLUTCH	A dischi multipli in bagno d'olio con comando idraulico Multiple - disk in oil-bath with hydraulic control			
CAMBIO GEARBOX	6 Rapporti	6 Gears	5 Rapporti	5 Gears
TELAIO FRAME	Perimetrale			
FORCELLA FORK	Marzocchi \varnothing 45 o Paioli Blue Steel \varnothing 46	Marzocchi \varnothing 50 o Paioli Blu Steel \varnothing 46 o Paioli USD		
SOSPENS. POST. REAR SUSPENSION	Ohlins regolabile in compressione e ritorno Ohlins with adjustable compression and rebound			
PNEUMAT. ANT. FRONT TYRE	90/90 X 21			
PNEUMAT. POST. REAR TYRE	120/90 X 18		140/80 X 18	
FRENI BRAKES	A disco posteriore \varnothing 220mm. e anteriore \varnothing 270 mm. con comando idraulico With rear disk \varnothing 220 mm. and front disk \varnothing 270 mm. with hydraulic control			
SERBATOIO TANK	9,8 L in plastica			
PESO WEIGHT	86 kg.	90 kg.	94 kg.	104 kg.